



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/532,531

04/25/2005

Atsushi Suzuki

TIP 033

5997

23408

7590

09/04/2009

GARY C. COHN, PLLC

P. O. Box 313

Huntingdon Valley, PA 19006

EXAMINER

HIGGINS, GERARD T

ART UNIT

PAPER NUMBER

1794

NOTIFICATION DATE

DELIVERY MODE

09/04/2009

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

garycohn@seattlepatent.com

Office Action Summary	Application No. 10/532,531	Applicant(s) SUZUKI ET AL.	
	Examiner GERARD T. HIGGINS	Art Unit 1794	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 July 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☒ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07/28/2009 has been entered.

Response to Amendment

2. Applicant's amendment filed 07/28/2009 has been entered. Currently claims 1-20 are pending.

Oath/Declaration

3. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

On the Oath and Declaration submitted 04/25/2005 the signed name and the typewritten name for the third named inventor are not in agreement (Yoshio Yoshida vs.

Art Unit: 1794

Tadashi Yoshida). The Examiner recognizes applicants' remarks to this end, and notes that this objection is being restated until the new Oath and Declaration is submitted.

Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claims 1-6 and 9-20 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

With regard to claim 1, the Examiner does not find support to state that "the surfaces of the adjacent polymer particles are not fused" in the specification as originally filed. The cited phraseology clearly signifies a "negative" or "exclusionary" limitation for which the applicants have no support in the original disclosure. Negative limitations in a claim which do not appear in the specification as filed introduce new concepts and violate the description requirement of 35 USC 112, first paragraph. Please see MPEP 2173.05(i), *Ex Parte Grasselli, Suresh, and Miller*, 231 USPQ 393, 394 (Bd. Pat. App. and Inter. 1983); 783 F. 2d 453.

The insertion of the above phraseology as described above positively excludes any fusing of the surfaces of adjacent polymer particles; however, there is no support in

the present specification for such exclusion. In this instance, the language at page 11, lines 12-15 is the most relevant part of applicants' specification. It states that:

“the surfaces of adjacent polymer particles are in contact with each other or are connected in spots, but the boundary is not lost due to the fusion of the surfaces, and small voids are left in the boundary area between particles.”

This does not provide support for stating that the surfaces are not fused at all.

Applicants allow for adjacent polymer particles to be “in contact” or “connected in spots,” of which the latter is a clear form of fusing of the polymer particles. Also this language does not state that fusing is prohibited; rather, it states that “the boundary is not lost due to the fusion of the surfaces,” which does not provide support for stating that the surfaces are not fused at all.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claims 1, 2, 4, 6, 8, 10, and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Ishida et al. (JP 2002-086905).

The Examiner first notes that the present claims are drafted in product-by-process format. It has been held that “even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of

Art Unit: 1794

production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process.” Please see MPEP 2112 and *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

With regard to claims 1 and 8, Ishida et al. disclose an inkjet recording sheet that may be comprised of a multilayered structure [0069]. This multilayered structure may have a base material, an ink acceptance layer, which reads on applicants' ink absorbing layer, and an upper layer, which reads on applicants' glossy layer [0069]. Any of the layers on the base material may comprise an inorganic particle, which reads on applicants' fine inorganic particles, because any layer may comprise the cationic organic particle, which reads on applicants' non cross-linked styrene-acrylic polymer [0066]. The Examiner deems this because Ishida et al. teach that the inkjet recording sheet may comprise at least one layer containing the cationic organic particles (Abstract). It is clear that the ink acceptance layer and the upper layer may both be the “at least one layer containing the cationic organic particles.” The particle size of the inorganic particles is 5 to 80 nm for a primary particle diameter [0066]. The inorganic particle may be present at 300 weight sections per 100 weight sections of the cationic organic particle in any of the layers [0067]. This therefore teaches that the inorganic particle may be the main component of any layer, including the ink acceptance layer.

The cationic organic particle may be comprised of a copolymer of numerous monomers, including *inter alia* N,N-dimethylaminoethyl methacrylate [0034], which reads on applicants' cationic monomer (see page 10, lines 8-19 of applicants'

Art Unit: 1794

specification), methyl methacrylate [0036], styrene [0037], and acrylamide [0037]. The Examiner clearly envisages forming the cationic organic particles of Ishida et al. from the monomers listed above.

The cationic organic particles are manufactured using emulsion-polymerization [0046], which will result in a polymer dispersion as claimed. This emulsion will then be coated onto the base material [0073].

Ishida et al. teach cationic organic particles, they teach at [0040] that using styrene in the copolymer will result in increased voidage between particles, and they teach the particle sizes of their cationic organic particles at [0027]. All of this evidence combined with the fact that Ishida et al. teach monomers identical to that claimed, lead the Examiner to deem that an upper layer of these cationic organic particles will inherently have surfaces of adjacent polymer particles that are in contact with each other but that are not fused as claimed.

With specific regard to claim 8, the Examiner notes that the sheet may or may not be calendered [0074].

With regard to claim 2, the cationic organic particles may have an average particle diameter of 50-500 nm, which encompasses the claimed range [0027].

With regard to claim 4, the gloss of examples 1-5 of Ishida et al. are each greater than 50% as measured by the 75 degree glossiness [0100]. Given this evidence and the fact that the particles will be comprised of the same monomers as claimed; the Examiner deems that an upper layer comprised of the cationic organic particles set forth above will inherently have a gloss of greater than 50%.

With regard to claim 6, the component (A) of the cationic organic particle copolymer may be from 0.1 to 30% weight percent [0042]. The component (A) is the cationic monomer [0033] to [0035].

With regard to claim 10, the Examiner has taught claims 2 and 4 above, and therefore the Examiner has taught the limitations of this claim.

With regard to claim 19, the Examiner has taught claims 4 and 6 above, and therefore the Examiner has taught the limitations of this claim.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 1, 2, 4, 6-8, 10, and 19 rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905).

The Examiner first notes that the present claims are drafted in product-by-process format. It has been held that “even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product

was made by a different process.” Please see MPEP 2112 and *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

With regard to claims 1 and 8, Ishida et al. disclose an inkjet recording sheet that may be comprised of a multilayered structure [0069]. This multilayered structure may have a base material, an ink acceptance layer, which reads on applicants' ink absorbing layer, and an upper layer, which reads on applicants' glossy layer [0069]. Any of the layers on the base material may comprise an inorganic particle, which reads on applicants' fine inorganic particles, because any layer may comprise the cationic organic particle, which reads on applicants' non cross-linked styrene-acrylic polymer [0066]. The Examiner deems this because Ishida et al. teach that the inkjet recording sheet may comprise at least one layer containing the cationic organic particles (Abstract). It is clear that the ink acceptance layer and the upper layer may both be the “at least one layer containing the cationic organic particles.” The particle size of the inorganic particles is 5 to 80 nm for a primary particle diameter [0066]. The inorganic particle may be present at 300 weight sections per 100 weight sections of the cationic organic particle in any of the layers [0067]. This therefore teaches that the inorganic particle may be the main component of any layer, including the ink acceptance layer.

The cationic organic particle may be comprised of a copolymer of numerous monomers, including *inter alia* N,N-dimethylaminoethyl methacrylate [0034], which reads on applicants' cationic monomer (see page 10, lines 8-19 of applicants' specification), methyl methacrylate [0036], styrene [0037], and acrylamide [0037]. While the Examiner maintains his position of clearly envisaging forming the cationic

Art Unit: 1794

organic particles of Ishida et al. from the monomer listed above; Ishida et al. do not specifically disclose an embodiment with the four monomers listed above.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to have chosen any of the copolymerizable monomers of Ishida et al., including the four listed above as claimed, in order to form an inkjet recording sheet that had increased voids in between the cationic organic particles and had excellent ink absorbability (see [0040]).

The cationic organic particles are manufactured using emulsion-polymerization [0046], which will result in a polymer dispersion as claimed. This emulsion will then be coated onto the base material [0073].

Ishida et al. teach cationic organic particles, they teach at [0040] that using styrene in the copolymer will result in increased voidage between particles, and they teach the particle sizes of their cationic organic particles at [0027]. All of this evidence combined with the fact that Ishida et al. teach monomers identical to that claimed, lead the Examiner to deem that an upper layer of these cationic organic particles will inherently have surfaces of adjacent polymer particles that are in contact with each other but that are not fused as claimed.

With specific regard to claims 7 and 8, the Examiner notes that the sheet may or may not be calendered, which reads on applicants' machine calendering treatment [0074].

With regard to the temperature of the calendering treatment, it would have been obvious to one having ordinary skill in the art to choose any temperature, including the

Art Unit: 1794

temperature claimed, as long as it was less than the T_g of the cationic organic particles. If one heated the particles higher than the T_g it would proceed to melt and generate a continuous non-porous film, which would then render the inkjet recording medium unable to absorb ink. This concept is recognized by Ishida et al. at [0077].

With regard to claim 2, the cationic organic particles may have an average particle diameter of 50-500 nm, which encompasses the claimed range [0027].

With regard to claim 4, the gloss of examples 1-5 of Ishida et al. are each greater than 50% as measured by the 75 degree glossiness [0100]. Given this evidence and the fact that the particles will be comprised of the same monomers as claimed; the Examiner deems that an upper layer comprised of the cationic organic particles set forth above will intrinsically have a gloss of greater than 50%.

With regard to claim 6, the component (A) of the cationic organic particle copolymer may be from 0.1 to 30% weight percent [0042]. The component (A) is the cationic monomer [0033] to [0035].

With regard to claim 10, the Examiner has taught claims 2 and 4 above, and therefore the Examiner deems the limitations of this claim to be intrinsic to the article of Ishida et al.

With regard to claim 19, the Examiner has taught claims 4 and 6 above, and therefore the Examiner has taught the limitations of this claim.

10. Claims 3, 9, 11, 12, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905) as applied to claims 1 and 2, in view

Art Unit: 1794

of Watanabe et al. (WO 00/15552), of which US 6,632,489 is the national stage entry of the international application, and will be used as a translation.

Ishida et al. disclose all of the limitations of applicants' claims 1 and 2 in section 7 above; however, however, they fail to disclose the type of colloidal silica of claims 3 and 9.

Watanabe et al. disclose rosary (moniliform) shaped spherical colloidal silica, which is comprised of particles having a secondary diameter of 50 to 500 nm (D_1) and a primary diameter of 10 to 80 nm (D_2 , col. 4, lines 7-34). The particles are measured using dynamic light scattering method and BET methods, and typically Watanabe et al. express the particles as a ratio of D_1/D_2 , which represents the amount of linking (coagulation) that occurs (col. 6, lines 16-22).

Since Ishida et al. and Watanabe et al. are both drawn to inkjet recording media; it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the spherical colloidal silica of Watanabe et al. as the inorganic particles of Ishida et al. The results of such a substitution would have been predictable to one having ordinary skill. The motivation for doing so can be found at col. 11, lines 42-49 of Watanabe et al., where they state that ink receiving layer comprised of their inventive silica and a binder will result in increased ink absorption, fast absorption speed, and an improved color development or ink.

With regard to claims 11 and 12, the gloss of examples 1-5 of Ishida et al. are each greater than 50% as measured by the 75 degree glossiness [0100]. Given this evidence and the fact that the particles will be comprised of the same monomers as

Art Unit: 1794

claimed, the Examiner deems that an upper layer comprised of the cationic organic particles set forth above will intrinsically have a gloss of greater than 50%.

With regard to claim 18, Ishida et al. teach the component (A) of the cationic organic particle copolymer may be from 0.1 to 30% weight percent [0042]. The component (A) is the cationic monomer [0033] to [0035].

11. Claims 3, 9, 11, 12, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905) as applied to claims 1 and 2, in view of Watanabe et al. (WO 00/15552), of which US 6,632,489 is the national stage entry of the international application, and will be used as a translation.

Ishida et al. rendered obvious all of the limitations of applicants' claims 1 and 2 in section 9 above; however, however, they fail to disclose the type of colloidal silica of claims 3 and 9.

Watanabe et al. disclose rosary (moniliform) shaped spherical colloidal silica, which is comprised of particles having a secondary diameter of 50 to 500 nm (D_1) and a primary diameter of 10 to 80 nm (D_2 , col. 4, lines 7-34). The particles are measured using dynamic light scattering method and BET methods, and typically Watanabe et al. express the particles as a ratio of D_1/D_2 , which represents the amount of linking (coagulation) that occurs (col. 6, lines 16-22).

Since Ishida et al. and Watanabe et al. are both drawn to inkjet recording media; it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the spherical colloidal silica of Watanabe et al. as the

Art Unit: 1794

inorganic particles of Ishida et al. The results of such a substitution would have been predictable to one having ordinary skill. The motivation for doing so can be found at col. 11, lines 42-49 of Watanabe et al., where they state that ink receiving layer comprised of their inventive silica and a binder will result in increased ink absorption, fast absorption speed, and an improved color development or ink.

With regard to claims 11 and 12, the gloss of examples 1-5 of Ishida et al. are each greater than 50% as measured by the 75 degree glossiness [0100]. Given this evidence and the fact that the particles will be comprised of the same monomers as claimed, the Examiner deems that an upper layer comprised of the cationic organic particles set forth above will intrinsically have a gloss of greater than 50%.

With regard to claim 18, Ishida et al. teach the component (A) of the cationic organic particle copolymer may be from 0.1 to 30% weight percent [0042]. The component (A) is the cationic monomer [0033] to [0035].

12. Claims 5, 13, 16, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905) as applied to claims 1 and 2, in view of Graczyk et al. (6,372,329).

With regard to claims 5, 13, and 16, Ishida et al. disclose all of the limitations of applicants' claims 1, 2, and 4 in section 7 above; however, they fail to include a specific reference to an underlayer comprised of synthetic silica and a hydrophilic binder.

Graczyk et al. disclose an inkjet recording medium comprised of two ink receiving layers that have a slightly different binder composition (please note that both binders

Art Unit: 1794

are still hydrophilic in nature). The reason for doing this is explained at col. 4, lines 6-19, wherein the bottom layer is designed to quickly absorb ink vehicle fluids while the top layer is designed to absorb ink while preventing pigmented ink cracks from developing in the images; furthermore, the underlayer can be designed to provide good adhesion of the ink-receiving layers to the substrate. Graczyk et al. also disclose at col. 5, lines 10-29 that the ink-receiving layer may be comprised of ink-absorbing pigments, including synthetic silica.

Since Ishida et al. and Graczyk et al. are drawn to inkjet recording media, it would have been obvious to one having ordinary skill in the art at the time the invention was made to introduce the dual ink-receiving layers of Graczyk et al. as an ink absorbing layer and underlayer in the article of Ishida et al. The results of such a combination would have been predictable to one having ordinary skill in the art; further, each of the elements would have performed the same in combination as they had separately. The motivation for doing so was mentioned above and includes a dual layer structure that provides for good adhesion of the ink absorbing layers to the substrate and a structure that quickly absorbs ink vehicle fluids.

With regard to claim 20, Ishida et al. teach the component (A) of the cationic organic particle copolymer may be from 0.1 to 30% weight percent [0042]. The component (A) is the cationic monomer [0033] to [0035].

Art Unit: 1794

13. Claims 5, 13, 16, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905) as applied to claims 1 and 2, in view of Graczyk et al. (6,372,329).

With regard to claims 5, 13, and 16, Ishida et al. render obvious all of the limitations of applicants' claims 1, 2, and 4 in section 9 above; however, they fail to include a specific reference to an underlayer comprised of synthetic silica and a hydrophilic binder.

Graczyk et al. disclose an inkjet recording medium comprised of two ink receiving layers that have a slightly different binder composition (please note that both binders are still hydrophilic in nature). The reason for doing this is explained at col. 4, lines 6-19, wherein the bottom layer is designed to quickly absorb ink vehicle fluids while the top layer is designed to absorb ink while preventing pigmented ink cracks from developing in the images; furthermore, the underlayer can be designed to provide good adhesion of the ink-receiving layers to the substrate. Graczyk et al. also disclose at col. 5, lines 10-29 that the ink-receiving layer may be comprised of ink-absorbing pigments, including synthetic silica.

Since Ishida et al. and Graczyk et al. are drawn to inkjet recording media, it would have been obvious to one having ordinary skill in the art at the time the invention was made to introduce the dual ink-receiving layers of Graczyk et al. as an ink absorbing layer and underlayer in the article of Ishida et al. The results of such a combination would have been predictable to one having ordinary skill in the art; further, each of the elements would have performed the same in combination as they had

Art Unit: 1794

separately. The motivation for doing so was mentioned above and includes a dual layer structure that provides for good adhesion of the ink absorbing layers to the substrate and a structure that quickly absorbs ink vehicle fluids.

With regard to claim 20, Ishida et al. teach the component (A) of the cationic organic particle copolymer may be from 0.1 to 30% weight percent [0042]. The component (A) is the cationic monomer [0033] to [0035].

14. Claims 14, 15, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905) as applied to claims 1 and 2, in view of Watanabe et al. (WO 00/15552) as applied to claims 3, 9, and 12 above, and further in view of Graczyk et al. (6,372,329).

With regard to claims 14, 15, and 17, Ishida et al. in view of Watanabe et al. render obvious all of the limitations of applicants' claims 3, 9, and 12 in section 10 above; however, they fail to include a specific reference to an underlayer comprised of synthetic silica and a hydrophilic binder.

Graczyk et al. disclose an inkjet recording medium comprised of two ink receiving layers that have a slightly different binder composition (please note that both binders are still hydrophilic in nature). The reason for doing this is explained at col. 4, lines 6-19, wherein the bottom layer is designed to quickly absorb ink vehicle fluids while the top layer is designed to absorb ink while preventing pigmented ink cracks from developing in the images; furthermore, the underlayer can be designed to provide good adhesion of the ink-receiving layers to the substrate. Graczyk et al. also disclose at col.

Art Unit: 1794

5, lines 10-29 that the ink-receiving layer may be comprised of ink-absorbing pigments, including synthetic silica.

Since Ishida et al. in view of Watanabe et al. and Graczyk et al. are all drawn to inkjet recording media, it would have been obvious to one having ordinary skill in the art at the time the invention was made to introduce the dual ink-receiving layers of Graczyk et al. as an ink absorbing layer and underlayer in the article of Ishida et al. in view of Watanabe et al. The results of such a combination would have been predictable to one having ordinary skill in the art; further, each of the elements would have performed the same in combination as they had separately. The motivation for doing so was mentioned above and includes a dual layer structure that provides for good adhesion of the ink absorbing layers to the substrate and a structure that quickly absorbs ink vehicle fluids.

15. Claims 14, 15, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishida et al. (JP 2002-086905) as applied to claims 1 and 2, in view of Watanabe et al. (WO 00/15552) as applied to claims 3, 9, and 12 above, and further in view of Graczyk et al. (6,372,329).

With regard to claims 14, 15, and 17, Ishida et al. in view of Watanabe et al. render obvious all of the limitations of applicants' claims 3, 9, and 12 in section 11 above; however, they fail to include a specific reference to an underlayer comprised of synthetic silica and a hydrophilic binder.

Graczyk et al. disclose an inkjet recording medium comprised of two ink receiving layers that have a slightly different binder composition (please note that both binders are still hydrophilic in nature). The reason for doing this is explained at col. 4, lines 6-19, wherein the bottom layer is designed to quickly absorb ink vehicle fluids while the top layer is designed to absorb ink while preventing pigmented ink cracks from developing in the images; furthermore, the underlayer can be designed to provide good adhesion of the ink-receiving layers to the substrate. Graczyk et al. also disclose at col. 5, lines 10-29 that the ink-receiving layer may be comprised of ink-absorbing pigments, including synthetic silica.

Since Ishida et al. in view of Watanabe et al. and Graczyk et al. are all drawn to inkjet recording media, it would have been obvious to one having ordinary skill in the art at the time the invention was made to introduce the dual ink-receiving layers of Graczyk et al. as an ink absorbing layer and underlayer in the article of Ishida et al. in view of Watanabe et al. The results of such a combination would have been predictable to one having ordinary skill in the art; further, each of the elements would have performed the same in combination as they had separately. The motivation for doing so was mentioned above and includes a dual layer structure that provides for good adhesion of the ink absorbing layers to the substrate and a structure that quickly absorbs ink vehicle fluids.


16. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hamada et al. (6,177,181) in view of Watanabe et al. (WO 00/15552), of which US

Art Unit: 1794

6,632,489 is the national stage entry of the international application, and will be used as a translation.

With regard to claims 1 and 3, Hamada et al. discloses the device of Figure 1.

FIG. 1



The device comprises a base substrate **1**, an ink-absorbing layer **2**, and a porous top layer (glossy layer) **3** (col. 12, lines 19-25). The recording sheet is especially useful in inkjet recording systems (col. 17, lines 56-60). The porous top layer comprises hydrophilic polymers, which may be the same hydrophilic polymers used in the ink-absorbing layer (col. 16, lines 25-39). Hamada et al. disclose various hydrophilic polymers useful in the ink-absorbing layer that are comprised of copolymerizable monomers at col. 12, lines 1 to col. 13, line 58. They specifically state that the monomers may be used alone or as a combination of two or more at col. 13, lines 16-17 and 56-58. Included in this list of monomers are nitrogen containing cationic monomers (col. 13, lines 6-13) of which N,N-diethylaminoethyl (meth)acrylate at col. 13, line 38 is an example of a nitrogen containing polymer that may be made cationic (additionally please see page 10, lines 8-19 of applicants' specification, which states that N,N-diethylaminoethyl (meth)acrylate is a cationic monomer), (meth)acrylamide at col. 13,

Art Unit: 1794

lines 40-41, styrene at col. 13, line 51, and methyl methacrylate at col. 13, lines 33-35.

The Examiner clearly envisages forming a porous layer out of the hydrophilic polymers listed above.

Alternatively, it would have been obvious to one having ordinary skill in the art at the time the invention was made to make the porous layer of Hamada et al. out of the hydrophilic polymers listed above. The motivation for using these polymers is to design a porous layer that has high wettability for water-color ink (col. 16, lines 7-11).

The porous top layer is prepared according to the process at col. 11, lines 7-51, which includes placing the polymerized monomers into a "good solvent" and a "poor solvent." These solvent have different affinities for the polymer as they are different polarities. The polymer containing solvent is then coated onto the base and is dried with the "good solvent" coming off first (col. 11, lines 13-22). As the "good solvent" evaporates the polymers form micelles (gel phase), which is equivalent to applicants' polymer dispersion because when dried it will form a dispersion of polymer particles. The dispersion of polymer particles proceeds to form a network structure comprising pores (col. 11, lines 19-22).

Even though there is no disclosure that the porous layer is a glossy layer, given that the composition of the porous layer of Hamada et al. is identical to the presently claimed glossy layer, the Examiner deems that the top layer of Hamada et al. would function as a glossy layer as presently claimed; furthermore, given the fact that the Examiner has shown each of the monomers of applicants' claim 1 are disclosed in Hamada et al., the Examiner deems that the copolymer of Hamada et al. will intrinsically

Art Unit: 1794

have surfaces of adjacent polymer particles in contact with each other but the surfaces of the adjacent polymer particles will not be fused and voids will be left between the polymer particles as claimed.

With regard to the ink absorbing layer, it may comprise the same hydrophilic polymers for the glossy layer, or it may comprise a simple vinyl alcohol binder (col. 12, line 32 to col. 13, line 58); additionally, it may be comprised of the inorganic particles (pigments) disclosed at col. 15, lines 40-59; however, Hamada et al. fail to disclose the average particle diameter of the inorganic particles in the ink absorbing layer.

Watanabe et al. disclose rosary (moniliform) shaped spherical colloidal silica, which is comprised of particles having a secondary diameter of 50 to 500 nm (D_1) and a primary diameter of 10 to 80 nm (D_2 , col. 4, lines 7-34). The particles are measured using dynamic light scattering method and BET methods, and typically Watanabe et al. express the particles as a ratio of D_1/D_2 , which represents the amount of linking (coagulation) that occurs (col. 6, lines 16-22).

Since Hamada et al. and Watanabe et al. are both drawn to ink receiving layers for inkjet recording media, it would have been obvious to one having ordinary skill in the art at the time the invention was made to substitute the pigments of Hamada et al. with the moniliform spherical colloidal silica of Watanabe et al. The results of such a substitution would have been predictable to one having ordinary skill in the art. The motivation for doing so can be found at col. 11, lines 42-49 of Watanabe et al., where they state that ink receiving layer comprised of their inventive silica and a binder will

Art Unit: 1794

result in increased ink absorption, fast absorption speed, and an improved color development or ink.

With regard to claim 2, Hamada et al. do not explicitly state the particle sizes of their dispersion particles for the glossy layer; however, they do state the pore sizes and the transmission of light at 400 nm at col. 16, line 48 to col. 17, line 7. The Examiner deems that these pore sizes would intrinsically represent particle sizes of the polymer dispersions from 100 to 200 nm. The pore sizes of Hamada et al. have a broad range, but a highly transparent porous layer would have a mean pore size of 10 to 350 nm (col. 16, lines 57-62). The sizes of the pores would be directly related to the sizes of the particles and their packing ability. A simple algebraic evaluation of the interstitial area (pore area) of three coplanar adjacent spherical particles led the Examiner to the conclusion that the radius of the particles would intrinsically be 2.2× as big as the diameter of the pore. While only an approximation, it does show that the pore sizes and particles sizes would intrinsically be in the same order of magnitude as each other, and therefore a pore size of 10 to 350 nm would intrinsically comprise a particle size of 100 to 200 nm.

The Examiner has an additional rationale to deem that the particle sizes would intrinsically comprise 100 to 200 nm in the transmission of light at 400 nm. As stated by applicants in their specification (page 14, lines 1-6), a small particle diameter will lead to less scatter at shorter wavelength regions. Since the porous layer of Hamada et al. is highly transparent at 400 nm, the Examiner deems that it must intrinsically be comprised of small particles, including ones of 100 to 200 nm.

With regard to claim 4, since the glossy layer and ink absorbing layer are comprised of the same materials as claimed by applicants, the Examiner deems that the inkjet recording medium of Hamada et al. in view of Watanabe et al. would intrinsically comprise the specular gloss of applicants' claim 4.

With regard to claim 5, the Examiner deems the underlayer of applicants to be a mere duplication of parts of the ink absorbing layer rendered obvious above. It has been held that "mere duplication of parts has no patentable significance unless a new and unexpected result is produced." Please see MPEP 2144.04 and *In re Harza*, 274 F.2d 669, 124 USPQ 378 (CCPA 1960). An underlayer comprised of binder and a pigment would function in the same manner as the ink absorbing layer, and therefore would aid the ink absorbing layer in absorbing ink and color-fastness.

With regard to claim 6, the mole fraction of each of the monomers included in the copolymerized glossy layer is disclosed at col. 14, lines 17-23 of Hamada et al. A mole fraction of from 0.1 to 50 mole% would intrinsically encompass 2 % to 30 % by weight; furthermore, it would have been obvious to vary the weight percentage of all the monomers in order to achieve a porous layer that had the proper amount of water resistance and provided the sharpest images.

With regard to claim 9, the Examiner has shown that the device of Hamada et al. in view of Watanabe et al. comprises the limitations of applicants' claim 2 and 3, and therefore it also renders obvious applicants' claim 9.

With regard to claims 10-12, the Examiner has shown that the device of Hamada et al. in view of Watanabe et al. comprises the limitations of applicants' claim 2, 3, 4, and 9, and therefore it also renders obvious applicants' claims 10-12.

With regard to claims 13-17, the Examiner has shown that the device of Hamada et al. in view of Watanabe et al. comprises the limitations of applicants' claim 2, 3, 4, 5, 9, and 12, and therefore it also renders obvious applicants' claims 13-17.

With regard to claims 18-20, the Examiner has shown that the device of Hamada et al. in view of Watanabe et al. comprises the limitations of applicants' claim 3, 4, 5, and 6, and therefore it also renders obvious applicants' claims 18-20.

With regard to claims 7 and 8, these are product-by-process claims. It has been held that "even though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process." Please see MPEP 2112 and *In re Thorpe*, 777 F.2d 695, 698, 227 USPQ 964, 966 (Fed. Cir. 1985).

The Examiner has shown all of the article limitations with regard to these claims in the discussion of claim 1 above; however, the Examiner has not shown that the glossy layer has or has not undergone a calendering treatment. The disclosure of Hamada et al. in view of Watanabe et al. discloses drying the porous layer and does not

Art Unit: 1794

mention a calendering treatment, which therefore means that the disclosures render obvious applicants' claim 8.

With regard to claim 7, calendering by applicants' own admission (page 2, lines 13-27) is a well-known treatment in inkjet recording media to increase the gloss of paper. It would have been obvious to one having ordinary skill in the art at the time the invention was made to apply any type of calendering treatment to improve the gloss of the inkjet recording medium of Hamada et al. in view of Watanabe et al. The results would have been completely predictable to one having ordinary skill in the art of papermaking. With regard to the temperature of the calendering treatment, it would have been obvious to one having ordinary skill in the art to choose any temperature, including the temperature claimed, as long as it was less than the T_g of the thermoplastic latex of the porous layer. If one heated the thermoplastic latex higher than the T_g it would proceed to melt and generate a continuous non-porous film, which would then render the inkjet recording medium unable to absorb ink.

17. Claims 5, 13-17, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hamada et al. (6,177,181) in view of Watanabe et al. (WO 00/15552) as applied to claims 1-4, 9, and 12 above, and further in view of Graczyk et al. (6,372,329).

With regard to claims 5 and 13-17, Hamada et al. in view of Watanabe et al. render obvious all of the limitations of applicants' claims 1-4, 9, and 12 in section 7 above. Additionally, they disclose the possibility of an ink-receiving layer of synthetic

Art Unit: 1794

silica and PVA. While the Examiner maintains that the rejection of section 7 above would render obvious applicants' underlayer; the Examiner notes that Hamada et al. in view of Watanabe et al. fail to include a specific reference to an underlayer comprised of synthetic silica and a hydrophilic binder.

Graczyk et al. disclose an inkjet recording medium comprised of two ink receiving layers that have a slightly different binder composition (please note that both binders are still hydrophilic in nature). The reason for doing this is explained at col. 4, lines 6-19, wherein the bottom layer is designed to quickly absorb ink vehicle fluids while the top layer is designed to absorb ink while preventing pigmented ink cracks from developing in the images; furthermore, the underlayer can be designed to provide good adhesion of the ink-receiving layers to the substrate. Graczyk et al. also disclose at col. 5, lines 10-29 that the ink-receiving layer may be comprised of ink-absorbing pigments, including synthetic silica.

Since Hamada et al. in view of Watanabe et al. and Graczyk et al. are all drawn to inkjet recording media, it would have been obvious to one having ordinary skill in the art at the time the invention was made to introduce the dual ink-receiving layers of Graczyk et al. as an ink absorbing layer and underlayer in the device of Hamada et al. in view of Watanabe et al. The results of such a combination would have been predictable to one having ordinary skill in the art; further, each of the elements would have performed the same in combination as they had separately. The motivation for doing so was mentioned above and includes a dual layer structure that provides for

good adhesion of the ink absorbing layers to the substrate and a structure that quickly absorbs ink vehicle fluids.

With regard to claim 20, the proportion of each of the monomers included in the copolymerized glossy layer is disclosed at col. 14, lines 17-23 of Hamada et al., and includes the range claimed by applicants; furthermore, it would have been obvious to vary each of the proportions of all the monomers in order to achieve a porous layer that had the proper amount of water resistance and provided the sharpest images.

Response to Arguments

18. Applicant's arguments, see Remarks, filed 07/28/2009, with respect to the objection to the abstract, the objection to claim 1, and the rejection of claims 1-6 and 9-20 under 35 U.S.C. 112, second paragraph have been fully considered and are persuasive. The relevant objections/rejections have been withdrawn.

19. Applicant's arguments filed 07/28/2009 have been fully considered but they are not persuasive.

Applicants argue that Figure 3 of Hamada et al. shows that the porous of Hamada et al. do not have a particulate structure, do not have any clear boundaries, will not have the proper particle sizes, and are not particles.

The Examiner respectfully disagrees and notes that the Examiner has set forth a *prima facie* case that the polymers of Hamada et al. will intrinsically form polymer particles that will read on applicants' claims. The rationale by which the Examiner has

set forth this *prima facie* case is the manner in which the porous layer of Hamada et al. is formed. During the drying process, the polymer of Hamada et al. will form micelles. Merriam-Webster Online defines micelles as “**b**: a molecular aggregate that constitutes a colloidal particle.” The Examiner set forth a *prima facie* case that these micelles will dry to form a dispersion of polymer particles. Applicants have not overcome this *prima facie* case. Given the fact that the Examiner maintains his *prima facie* case that the porous layer of Hamada et al. is comprised of polymer particles, the Examiner maintains the rationales set forth above regarding the interaction of surfaces of adjacent polymer particles and the relative particles sizes, which are both based upon solid scientific rationale.

With specific regard to applicants' reliance on Figure 3 of Hamada et al., it is noted that Figure 3 of Hamada et al. is a porous layers formed of the composition of Examples 1, which is cellulose acetate. This example is not the same composition as applicants' claim 1, which is a styrene-acrylic type polymer particle, and is therefore not an appropriate comparison; furthermore, the scale of the micrograph of Figure 3 of Hamada et al. is not of the same scale as applicants' photograph.

Applicants then argue that the porous layer of Hamada et al. is a “porous polymer network,” which is clearly different from applicants' polymer particles.

Applicants describe their particles as being “connected in spots” or “in contact” at page 11, lines 8-21. It is unclear how applicants' layer is not a network structure when the particles are “connected in spots” or “in contact” with one another. The reference describes their network structure as being micelles that will dry and “contact with one

Art Unit: 1794

another to form a network structure.” The Examiner deems that this contact of the reference will be the same contact or connection disclosed by applicants.

Applicants then argue that their processing conditions would lead to an unobvious product.

The Examiner notes that he has set forth a *prima facie* case that the product of Hamada et al. and applicants, despite being made by a different process, would result in products that would be obvious over each other. Applicants have not overcome this *prima facie* case; further, it is noted that “the arguments of counsel cannot take the place of evidence in the record”, *In re Schulze*, 346 F.2d 600, 602, 145 USPQ 716, 718 (CCPA 1965). It is the examiner’s position that the arguments provided by the applicant regarding Hamada et al. must be supported by a declaration or affidavit. As set forth in MPEP 716.02(g), “the reason for requiring evidence in a declaration or affidavit form is to obtain the assurances that any statements or representations made are correct, as provided by 35 U.S.C. 24 and 18 U.S.C. 1001”.

Applicants then argue that Hamada’s polymers are different and the Examiner used hindsight rationale to select from Hamada’s polymers.

In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a

Art Unit: 1794

reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

Additionally, it has been held that “[w]hen the compound is not specifically named, but instead it is necessary to select portions of teachings within a reference and combine them, e.g., select various substituents from a list of alternatives given for placement at specific sites on a generic chemical formula to arrive at a specific composition, anticipation can only be found if the classes of substituents are sufficiently limited or well delineated. *Ex parte A*, 17 USPQ2d 1716 (Bd. Pat. App. & Inter. 1990). If one of ordinary skill in the art is able to “at once envisage” the specific compound within the generic chemical formula, the compound is anticipated. One of ordinary skill in the art must be able to draw the structural formula or write the name of each of the compounds included in the generic formula before any of the compounds can be “at once envisaged.” One may look to the preferred embodiments to determine which compounds can be anticipated. Please see MPEP 2131.02 and *In re Petering*, 301 F.2d 676, 133 USPQ 275 (CCPA 1962).” Each of the monomers of applicants' polymer particles are clearly disclosed by Hamada et al., and the Examiner has specifically pointed each of them out. The Examiner clearly envisages a copolymer of the abovementioned monomers.

Alternatively, it would have been obvious to one having ordinary skill in the art at the time the invention was made to make the porous layer of Hamada et al. out of the hydrophilic polymers set forth by the Examiner. The motivation for using these

Art Unit: 1794

polymers is to design a porous layer that has high wettability for water-color ink (col. 16, lines 7-11).

Conclusion

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The Examiner has cited US 5,576,088, which has an ink-receiving layer and a gloss providing layer on a support. The gloss providing layer has a gloss of greater than 25% at 75 degrees. The size of the colloidal particles in the gloss providing layer is less than 300 nm and may be organic pigment particles (col. 8, line 56 to col. 9, line 5); further, they are preferable cationic (col. 9, lines 50-65).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to GERARD T. HIGGINS whose telephone number is (571)270-3467. The examiner can normally be reached on M-Th 10am-8pm est. (Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Ruthkosky can be reached on 571-272-1291. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1794

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark Ruthkosky/
Supervisory Patent Examiner, Art Unit 1794

GERARD T. HIGGINS
Examiner
Art Unit 1794

/G. T. H./
Examiner, Art Unit 1794